
V. REFERENCES

INTRODUCTION

1. Center on Reinventing Public Education, University of Washington (2015). Authors: Michael DeArmond, Patrick Denice, Betheny Gross, José Hernández, Ashley Jochim, and Robin Lake. Measuring Up: Educational Improvement and Opportunity in 50 Cities. Retrieved on 10/21/16 from: <http://crpe.org/publications/measuring-educational-improvement-and-opportunity-50-cities> NOTE: From Page 16 of the report: “51% or less of students in Toledo and Minneapolis graduated from high school in four years.”
2. Brito, Arturo et al.(2008). The Enhanced Medical Home: The Pediatric Standard of Care for Medically Underserved Children. *Advances in Pediatrics* , Volume 55 , Issue 1 , 9-28. Retrieved from: <http://www.childrenshealthfund.org/category/tags/medically-underserved>
3. National Center for Education Statistics (NCES). Statistical Standards > Development of Concepts and Methods > SUBJECT: DEFINING RACE AND ETHNICITY DATA > STANDARD 1-5-4. Link: https://nces.ed.gov/statprog/2002/std1_5.asp
4. The Annie E. Casey Foundation. (2016). *2016 KIDS COUNT Data Book* . Baltimore, MD: Author. Retrieved from: <http://www.aecf.org/m/resourcedoc/aecf-the2016kidscountdatabook-2016.pdf>
5. Ou,Suh-Ruu., Reynolds, A.J.(2008,June) Predictors of Educational Attainment in the Chicago Longitudinal Study. *School Psychology Quarterly*, v23 n2 p199-229. Retrieved on 06/14/2016 from: <http://eric.ed.gov/?id=EJ802106>
6. Basch, C.E. (2010,March). Healthier Students are Better Learners: A Missing Link in School Reforms to Close the Achievement Gap. Teachers College, Columbia University. Retrieved on 06/14/2016 from: http://www.equitycampaign.org/i/a/document/12557_EquityMattersVol6_Web03082010.pdf
7. Michael, S. L., Merlo, C. L., Basch, C. E., Wentzel, K. R. and Wechsler, H. (2015), Critical Connections: Health and Academics. *Journal of School Health*, 85: 740–758. doi: 10.1111/josh.12309. Retrieved on 06/14/2016 from: <http://onlinelibrary.wiley.com/doi/10.1111/josh.12309/full>

BACKGROUND: ADVERSE CHILDHOOD EXPERIENCES

8. American Academy of Pediatrics (AAP). *Adverse Childhood Experiences and the Lifelong Consequences of Trauma*. NOTE: This report is part of the Trauma Toolbox for Primary Care developed by AAP. Link: <https://www.aap.org/en-us/advocacy-and-policy/aap-health-initiatives/healthy-foster-care-america/Pages/Trauma-Guide.aspx?nfstatus=401&nf-token=00000000-0000-0000-0000-000000000000&nfstatusdescription=ERROR%3a+No+local+token>
9. American Academy of Pediatrics (AAP). *Adverse Childhood Experiences and the Lifelong Consequences of Trauma*. NOTE: This report is part of the Trauma Toolbox for Primary Care developed by AAP. Link: <https://www.aap.org/en-us/advocacy-and-policy/aap-health-initiatives/healthy-foster-care-america/Pages/Trauma-Guide.aspx?nfstatus=401&nf-token=00000000-0000-0000-0000-000000000000&nfstatusdescription=ERROR%3a+No+local+token>
10. Child Welfare Information Gateway Children’s Bureau/ACYF/ACF/HHS. Long-Term Consequences of Child Abuse and Neglect. Available at: https://www.childwelfare.gov/pubPDFs/long_term_consequences.pdf. Accessed April 27, 2016.
11. Administration for Children and Families, Office of Planning, Research and Evaluation.(2011). NSCAW II baseline report: Child well-being. Retrieved from http://www.acf.hhs.gov/sites/default/files/opre/nscaw2_child.pdf. Accessed on April 28, 2016. See Page 5.

12. National Survey of Children's Health. NSCH 2011/12. Data query from the Child and Adolescent Health Measurement Initiative, Data Resource Center for Child and Adolescent Health website. Retrieved 05/31/16 from www.childhealthdata.org. Topic: Family Health and Activities. Question: Indicator 6.11: Adverse childhood experiences. Link to specific query: <http://www.childhealthdata.org/browse/survey/results?q=2257&r=1>
13. Committee on Psychosocial Aspects of Child and Family Health, Committee on Early Childhood, Adoption, and Dependent Care, and Section on Developmental and Behavioral Pediatrics, Andrew S. Garner, Jack P. Shonkoff, Benjamin S. Siegel, Mary I. Dobbins, Marian F. Earls, Andrew S. Garner, Laura McGuinn, John Pascoe, David L. Wood (2012). Early Childhood Adversity, Toxic Stress, and the Role of the Pediatrician: Translating Developmental Science Into Lifelong Health. *Pediatrics* Jan 2012, 129 (1) e224-e231; DOI: 10.1542/peds.2011-2662. Retrieved from: <http://pediatrics.aappublications.org/content/129/1/e224.full?sid=23890cdd-dd37-48d6-9b5a-3c15ea20510b#ref-23>
14. Kerker BD, Storfer-Isser A, Garner A, Szilagyi M, O'Connor K, Hoagwood K, Stein REK, Horwitz SM. Identifying Adverse Childhood Experiences (ACEs) in Pediatric Primary Care. Presented at the 2015 Pediatric Academic Societies Annual Meeting. Retrieved from: <https://www.aap.org/en-us/professional-resources/Research/research-findings/Pages/Identifying-Adverse-Childhood-Experiences-ACEs-in-Pediatric-Primary-Care.aspx>
15. National Survey of Children's Health. NSCH 2011/12. Data query from the Child and Adolescent Health Measurement Initiative, Data Resource Center for Child and Adolescent Health website. Retrieved 05/31/16 from www.childhealthdata.org. Topic: Family Health and Activities. Question: Indicator 6.11: Adverse childhood experiences. Sub Group: Emotional, behavioral or developmental issues. Link to data query: <http://childhealthdata.org/browse/survey/results?q=2257&r=1&g=463>
16. Administration for Children and Families, Office of Planning, Research and Evaluation. (2011). NSCAW II baseline report: Child well-being. Retrieved from: http://www.acf.hhs.gov/sites/default/files/opre/nscaw2_child.pdf. Accessed on April 28, 2016. See Page 11.
17. Administration for Children and Families, Office of Planning, Research and Evaluation. (2011). NSCAW II baseline report: Child well-being. Retrieved from: http://www.acf.hhs.gov/sites/default/files/opre/nscaw2_child.pdf. Accessed on April 28, 2016. Internalizing Problems combines the Social Withdrawal, Somatic Complaints, and Anxiety/Depression scales, while Externalizing problems combines the Delinquent Behavior and Aggressive Behavior scales. See Pages 7 to 8.
18. Administration for Children and Families, Office of Planning, Research and Evaluation. (2011). NSCAW II baseline report: Child well-being. Retrieved from: http://www.acf.hhs.gov/sites/default/files/opre/nscaw2_child.pdf. Accessed on April 28, 2016. NOTE: . The three most common health conditions reported by caregivers were Attention-Deficit/Hyperactivity Disorder (ADHD; 16.4%), asthma (16.1%), and emotional problems (14.4%). See Page 3.
19. National Survey of Children's Health. NSCH 2011/12. Data query from the Child and Adolescent Health Measurement Initiative, Data Resource Center for Child and Adolescent Health website. Retrieved 05/31/16 from www.childhealthdata.org. Link to specific query: <http://childhealthdata.org/browse/survey/results?q=2388&r=1>
20. Kerker, B.D., Zhang, J., Nadeem, E., Stein, R.E., Hurlburt MS, Heneghan A, Landsverk J, McCue Horwitz S. (2015, September). Adverse Childhood Experiences and Mental Health, Chronic Medical Conditions, and Development in Young Children. *Acad Pediatr.*;15(5):510-7. NOTE: This finding applies to children who are not in out of home care.
21. Except for those in group homes or residential programs.
22. Administration for Children and Families, Office of Planning, Research and Evaluation. (2011). NSCAW II baseline report: Child well-being. Retrieved from http://www.acf.hhs.gov/sites/default/files/opre/nscaw2_child.pdf. Accessed on April 28, 2016. See Page 9.

23. Administration for Children and Families, Office of Planning, Research and Evaluation. (2011). NSCAW II baseline report: Child well-being. Retrieved from http://www.acf.hhs.gov/sites/default/files/opre/nscaw2_child.pdf. Accessed on April 28, 2016. See Pages 10 to 11.
24. CDC-Kaiser Permanente. Adverse childhood experience (ACE) study. Summary of findings available at: <http://www.cdc.gov/violenceprevention/acestudy/about.html>. Accessed April 14, 2016. Full study: Felitti, Vincent J et al. Relationship of Childhood Abuse and Household Dysfunction to Many of the Leading Causes of Death in Adults. *American Journal of Preventive Medicine* , Volume 14 , Issue 4 , 245 - 258.
25. Bethell, C., Newacheck, P., Hawes, E. and Halfon, N. (2014). Adverse Childhood Experiences: Assessing The Impact On Health And School Engagement And The Mitigating Role Of Resilience. *Health Aff* vol. 33 no. 12 2106-2115. See Page 6, section “ASSOCIATION WITH SCHOOL SUCCESS FACTORS.”
26. Burke, N.J., Hellman, J.L., Scott, B.G., Weems, C.F, Carrion, V.G. (2011 June). The impact of adverse childhood experiences on an urban pediatric population. *Child Abuse Neglect*; 35(6):408-13. NOTE: As explained in the Methods section, the study used logistic regression to calculate the risk (Odds ratio) of having learning/behavior problems in association with an ACE score $\geq 1 \geq 4$, compared to ACE score = 0. This procedure allowed them to control for demographic variables that may covary with ACE scores and outcome variables including age, gender, ethnicity, and two different groupings of ACE score (ACE ≥ 1 and ≥ 4 as compared to ACE score = 0).
27. Blodgett, C. ACEs in Head Start children and Impact on Development. Washington State University, CLEAR Trauma Center. January 2014. Available at: <http://ext100.wsu.edu/cafru/research/>. Accessed on 06/06/2016.
28. Blodgett, C., Harrington, R. Adverse Childhood Experience and Developmental Risk in Elementary Schoolchildren. Washington State University, CLEAR Trauma center. Available at: <http://ext100.wsu.edu/cafru/research/>. Accessed on 06/06/2016
29. Blodgett, C., Harrington R. Working Paper 7/30/12 Adopting ACEs Screening and Assessment in in Child Serving Systems. See Study 2: Readiness to Learn Adversity Study by Blodgett C, Turner N, and Winikoff J (p. 10). Washington State University, CLEAR Trauma center. Available at: <http://ext100.wsu.edu/cafru/research/>. Accessed on 06/06/2016

UNCONTROLLED ASTHMA

30. National Institute of Health. Guidelines for the Diagnosis and Management of Asthma (EPR-3). Accessed from <http://www.nlm.nih.gov/health-pro/guidelines/current/asthma-guidelines>
31. National Institute of Health. Guidelines for the Diagnosis and Management of Asthma (EPR-3). Accessed from <http://www.nlm.nih.gov/health-pro/guidelines/current/asthma-guidelines>
32. National Institute of Health. Guidelines for the Diagnosis and Management of Asthma (EPR-3). Accessed from <http://www.nlm.nih.gov/health-pro/guidelines/current/asthma-guidelines>
33. Moorman, J.E. Person, S.J. and Zahran, H.S. (2001–2010). Asthma Attacks Among Persons with Current Asthma — United States. *Supplements. Division of Environmental Hazards and Health Effects, National Center for Environmental Health, CDC*. November 22, 2013/62(03);93-98. Link: http://www.cdc.gov/mmwr/preview/mmwrhtml/su6203a16.htm?s_cid=su6203a16_e Retrieved on 05/19/2016. This report in turn cites from: National Institutes of Health. National Heart, Lung, and Blood Institute. Expert panel report 3: guidelines for the diagnosis and management of asthma. Bethesda, MD: US Department of Health and Human Services, National Institutes of Health, National Heart, Lung, and Blood Institute, National Asthma Education Program; 2007.
34. CDC. (2014). Asthma Prevalence in the U.S.: Slide set. Retrieved from CDC website: http://www.cdc.gov/asthma/surveillance_summaries.htm

35. National Health Interview Survey. (2014). Current Asthma Prevalence Percents by Age, United States. See the following tables: 1) National Current Asthma* Prevalence (2014). Retrieved on 06/10/16 from: http://www.cdc.gov/asthma/most_recent_data.htm 2) Table 4-1 Current Asthma Prevalence Percents by Age, United States: National Health Interview Survey, 2014. Retrieved on 11/04/16 from: <https://www.cdc.gov/asthma/nhis/2014/table4-1.htm>
36. National Health Interview Survey. (2014). Table 2-1 Lifetime Asthma Prevalence Percents by Age, United States: National Health Interview Survey, 2014. Retrieved from: <https://www.cdc.gov/asthma/nhis/2014/table2-1.htm>
37. Nicholas, S. W., Jean-Louis, B., Ortiz, B., Northridge, M., Shoemaker, K., Vaughan, R., and Hutchinson, V. (2005). Addressing the childhood asthma crisis in Harlem: the Harlem Children's Zone Asthma Initiative. *American Journal of Public Health*, 95(2), 245-249.
38. Clark, N.M., Shah, S., Dodge J, A., Thomas, L. J., Andridge, R.R., Roderick J.A and Little, R.J.A., (2010,February) An Evaluation of Asthma Interventions for Preteen Students, *Journal of School Health*, 80(2), 80–87.
39. Nelson. B.W., Awad, D., Alexander, J and Clark, N. (2009). The continuing problem of asthma in very young children: a community-based participatory research project. *J Sch Health*.79, 209-215.
40. CDC. Factsheet "Uncontrolled Asthma among Persons with Current Asthma." Source: Behavioral Risk Factors Surveillance System (BRFSS)—Child and Adult Asthma Call-back survey Data, 2006-2010. Retrieved on 05/20/2016 from: http://www.cdc.gov/asthma/asthma_stats/Uncontrolled_Asthma.pdf Criteria for measuring uncontrolled asthma is reported any of the following: in past 30 days, asthma symptoms more than two days a week; nighttime awakenings (more than one times a month in ages 0-4 years and two or more times a month in ages 5-11 years, and one to three times a week in ages 12 years and older); and in past three months, short-acting β 2-agonists use more than two days a week.
41. Crocker, D., Brown, C., Moolenaar, R., Moorman, J., Bailey, C., Mannino, D and Holguin, F. (2009, October). "Racial and Ethnic Disparities in Asthma Medication Usage and Health-Care Utilization: Data From the National Asthma Survey." *Chest*, Volume 136, Issue 4, 1063–1071.
42. Moorman, J.E., Akinbami, L.J., Bailey C.M., et al. (2012). National Surveillance of Asthma: United States, 2001–2010. *National Center for Health Statistics. Vital Health Stat 3(35)*. See: "Table 15. Rate of emergency department visits with asthma as the first-listed diagnosis per 100 persons with current asthma, by detailed age group and selected patient characteristics: United States, average annual 2007–2009." Retrieved from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_035.pdf
43. Moorman, J.E., Akinbami, L.J., Bailey, C.M., et al. (2012). National Surveillance of Asthma: United States, 2001–2010. *National Center for Health Statistics. Vital Health Stat 3(35)*. See: "Table 18. Rate of hospital discharges with asthma as the first-listed diagnosis per 100 persons with current asthma, by detailed age group and selected patient characteristics: United States, average annual 2007–2009." Retrieved from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_035.pdf
44. Akinbami, L.J. (2006). *The State of childhood asthma, United States, 1980–2005. Advance data from vital and health statistics; no 381*, Hyattsville, MD: National Center for Health Statistics. See Page 9.
45. Crocker, D., Brown, C., Moolenaar, R., Moorman, J., Bailey, C., Mannino, D and Holguin, F. (2009, October), "Racial and Ethnic Disparities in Asthma Medication Usage and Health-Care Utilization: Data From the National Asthma Survey." *Chest* Volume 136, Issue 4, 1063–1071.
46. Citizens' Committee for Children in New York. "Concentrations of Risk: Asthma and Poor Housing Conditions." Uses 2010 data on Asthma Hospitalizations Per 1,000 Children (0 -15). February 28, 2013. Retrieved from: <http://www.cccnewyork.org/blog/concentrations-of-risk-asthma-and-poor-housing-conditions/>

47. Strane, D., Wahl, R. and Garcia E. (2013). Disparities in Michigan's Asthma Burden. Lansing, MI: Bureau of Disease Control, Prevention, and Epidemiology, Michigan Department of Community Health, 2. Retrieved from: http://www.michigan.gov/documents/mdch/Disparities-in-Michigan-Asthma-Burden_424786_7.pdf
48. CDC. Asthma Attack Prevalence Percents among those with Current Asthma by Age, United States: National Health Interview Survey, 2014. Table 6-1. Retrieved on 05/25/2016 from: <http://www.cdc.gov/asthma/nhis/2014/table6-1.htm>
49. CDC. "Asthma-related Missed School Days among Children aged 5–17 Years." Source: 2013 National Health Interview Survey (NHIS). Parents of children with current asthma were asked question, "During the past 12 months, how many days of [daycare or preschool, school, school or work] did child miss because of his/her asthma?" Retrieved on 05/25/2016 from the following link: http://www.cdc.gov/asthma/asthma_stats/default.htm
50. Basch, C.E. (2010, March). Healthier Students are Better Learners: A Missing Link in School Reforms to Close the Achievement Gap. Teachers College, Columbia University. Retrieved on 06/14/2016 from: http://www.equitycampaign.org/i/a/document/12557_EquityMattersVol6_Web03082010.pdf
51. Taras, H and Potts-Daterma, W. (2005). Childhood asthma and student performance at school. *Journal of School Health*.75:296-312
52. CDC. "Asthma-related Missed School Days among Children aged 5–17 Years." Source: 2013 National Health Interview Survey (NHIS). Parents of children with current asthma were asked question, "During the past 12 months, how many days of [daycare or preschool, school, school or work] did child miss because of his/her asthma?" Retrieved on 05/25/2016 from the following link: http://www.cdc.gov/asthma/asthma_stats/default.htm
53. Taras, H and Potts-Daterma, W. (2005). Childhood asthma and student performance at school. *Journal of School Health*.75:296-312
54. Taras, H and Potts-Daterma, W. (2005). Childhood asthma and student performance at school. *Journal of School Health*.75:296-312
55. Moonie, S.A., Sterling, D.A., Figgs, L and Castro M. (2006) Asthma status and severity affects missed school days. *Jan*;76(1):18-24. Retrieved on 05/25/2016 from the following link <http://www.ncbi.nlm.nih.gov/pubmed/16457681>
56. Diette, G.B., Markson, L., Skinner, E.A., Nguyen, T.T., Algatt-Bergstrom, P., Wu AW. (2000, September). Nocturnal asthma in children affects school attendance, school performance, and parents' work attendance. *Arch Pediatr Adolesc Med*. 154(9):923-8.
57. Stores, G., Willis, A.J., Wiggs, L., Crawford, C., and Thomson, A. (1998). Sleep and psychological disturbance in nocturnal asthma. *Archives of Disease in Childhood*, 78, 413-419.
58. Desager, K.N., Nelen, V., Weyler, J.J., & De Backer, W.A. (2005). Sleep disturbances and daytime symptoms in wheezing school-aged children. *Journal of Sleep Research*, 14, 77-82.
59. Lo C and Chiang, LC. (2006). The sleep problems among children with asthma. *Ju LI Za Zhi*, 53, 24-30
60. Strunk, R.C., Sternberg, A.L., Bacharier, L.B and Szeffler, SJ (2002, September). Nocturnal awakening caused by asthma in children with mild-to-moderate asthma in the childhood asthma management program. *J Allergy Clin Immunol*. 110(3):395-403.
61. Sadatsafavi, M. Rousseau, R., Chen, W., Zhang, W., Lynd, L., FitzGerald, J and Chest, M. (2014, Apr). The preventable burden of productivity loss due to suboptimal asthma control: a population-based study. 145(4):787-93.

62. Stores, G., Willis, A.J., Wiggs, L., Crawford, C., and Thomson, A. (1998). Sleep and psychological disturbance in nocturnal asthma. *Archives of Disease in Childhood*, 78, 413-419.
63. H Taras and W Potts-Daterma. (2005). Childhood asthma and student performance at school. *Journal of School Health*. 75:296-312
64. Halterman, J.S., Montes, G., Aligne, C.A., Kaczorowski, J.M., Hightower, A.D and Szilagyi, P.G. (2001, Jul-Aug) School readiness among urban children with asthma. *Ambul Pediatr*. 1(4):201-5. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11888401>
65. Halterman, J.S., Conn, K.M., Forbes-Jones, E., Fagnano, M., & Hightower, A.D. (2006). Behavior problems among inner-city children with asthma: Findings from a community-based sample. *Pediatrics*, 117, e192-e199.
66. Blackman, J.A., and Gurka, M.J. (2007) Developmental and behavioral comorbidities of asthma in children. *Journal of Developmental and Behavioral Pediatrics*, 28(2), 92-99.

UNCORRECTED VISION PROBLEMS

67. Ruderman, M. (2016). *Children's Vision and Eye Health: A Snapshot of Current National Issues* (1st ed.). Chicago, National Center for Children's Vision and Eye Health at Prevent Blindness. NOTE: Descriptions were slightly altered and some details were excluded for brevity.
68. Ganley, J.P. and Roberts J. (1983). Eye conditions and related need for medical care among persons 1-74 years of age: United States, 1971-1972. *Vital Health Stat* 11(228). Table 1, 21.
69. Ganz, M., Xuan, Z., & Hunter, D.G. (2006). Prevalence and correlates of children's diagnosed eye and vision conditions. *Ophthalmology*, 113, 2298-2306. Diagnoses were grouped into: Potentially blinding disorders; Refractive disorders; Visual disturbances; Blindness and low vision; Disorders of conjunctiva; Disorders of the orbit, eyelids, and/or lacrimal system; Strabismus; Eye disorders not otherwise classified; and Trauma and/or injury. The prevalence in 0-8 year olds is about 8%, and about 6% in 9-17 year olds.
70. CHF Healthy and Ready to Learn Initiative data. Screenings implemented in 2014 to 2015.
71. Bodack, M.I., Chung, I & Krumholtz, I. (2010, Sep). An analysis of vision screening data from New York City public schools. *Optometry*; 81(9):476-84. doi: 10.1016/j.optm.2010.05.006. Epub 2010 Jul 8.
72. Krumholtz, I. (2000). Results from a pediatric vision screening and its ability to predict academic performance. *Optometry*, 71, 426-430.
73. Choi, T.B., Lee, D.A., Oelrich, F.O., Amponash, D., Bateman, J.B and Christensen, R.E.(1995, August). A retrospective study of eye disease among first grade children in Los Angeles. *J Am Optom Assoc*. 1995 Aug; 66(8), 484-8.
74. Pizzarello, L., Tilp, M., Tiezzi, L., Vaughn, R., & McCarthy, J. (1998). A new school-based program to provide eyeglasses: ChildSight. *Journal of American Association for Pediatric Ophthalmology and Strabismus*, 2(6), 372-375.
75. Healthy People 2020 Vision Objective: [V-5.1 Reduce visual impairment due to uncorrected refractive error](#) . Data source was 2005 to 2008 National Health and Nutrition Examination Survey (NHANES); Centers for Disease Control and Prevention, National Center for Health Statistics (CDC/NCHS). This estimate is based on distance visual acuity test, with usual correction if any. Prevalence in the 12 to 17 age group is 17.7% (176.8 per 1000 people). Available at: <http://www.healthypeople.gov/2020/data-search/Search-the-Data?nid=5379>

76. Ruderman, M. (2016). *Children's Vision and Eye Health: A Snapshot of Current National Issues* (1st ed.). Chicago, IL: National Center for Children's Vision and Eye Health at Prevent Blindness. This study in turn cites: Qiu, M., Wang, S.Y., Singh, K.L. (2014). Racial Disparities in Uncorrected and Undercorrected Refractive Error in the United States. *Investigative Ophthalmology & Visual Science*, 55(10):6996-7005. See TABLE 4. Joint Effect of Race/Ethnicity and Other Risk Factors on Inadequate Refractive Correction in Subjects With Correctable Refractive Error.
77. Prevalence of myopia, hyperopia and astigmatism is taken from: Ruderman, M. (2016). *Children's Vision and Eye Health: A Snapshot of Current National Issues* (1st ed.). Chicago, IL: National Center for Children's Vision and Eye Health at Prevent Blindness.
78. Ruderman, M. (2016). *Children's Vision and Eye Health: A Snapshot of Current National Issues* (1st ed.). Chicago, IL: National Center for Children's Vision and Eye Health at Prevent Blindness.
79. National Health Interview Survey, CDC/NCHS. Data retrieved from Healthy People 2020 website. Objective-Vision V-2 Reduce blindness and visual impairment in children and adolescents aged 17 years and under. This estimate is based on response by parent or other knowledgeable adult in the family on behalf of the child to the question: "Does [name of child] have any trouble seeing, even when wearing glasses or contact lenses?". Link: <https://www.healthypeople.gov/2020/data-search/Search-the-Data?nid=5373>
80. Ruderman, M. (2016). *Children's Vision and Eye Health: A Snapshot of Current National Issues* (1st ed.). Chicago, IL: National Center for Children's Vision and Eye Health at Prevent Blindness. On Page 17, the report refers to the guidelines issued by a National Expert Panel convened by the National Center for Children's Vision and Eye Health (NCCVEH).
81. AAPOS (American Association of Pediatric Ophthalmology and Strabismus). Vision Screening Recommendations. Available at: http://www.aapos.org/client_data/files/2014/1076_aapos_visscreen.pdf
82. Ruderman, M. (2016). *Children's Vision and Eye Health: A Snapshot of Current National Issues* (1st ed.). Chicago, IL: National Center for Children's Vision and Eye Health at Prevent Blindness. On Page 18, the report describes eye examinations.
83. Ruderman, M. (2016). *Children's Vision and Eye Health: A Snapshot of Current National Issues* (1st ed.). Chicago, IL: National Center for Children's Vision and Eye Health at Prevent Blindness. Pages 12-13. This report uses: National Survey of Children's Health. NSCH 2011/12. Data query from the Child and Adolescent Health Measurement Initiative, Data Resource Center for Child and Adolescent Health website. Retrieved 05/16/2016 from www.childhealthdata.org.
84. Center for Surveillance, Epidemiology, and Laboratory Services, Centers for Disease Control and Prevention (CDC), U.S. Department of Health and Human Services. "Use of Selected Clinical Preventive Services to Improve the Health of Infants, Children, and Adolescents — United States, 1999–2011. Pages 43 to 46.
85. Ruderman, M. (2016). *Children's Vision and Eye Health: A Snapshot of Current National Issues* (1st ed.). Chicago, IL: National Center for Children's Vision and Eye Health at Prevent Blindness. See Page 14.
86. Ruderman, M. (2016). *Children's Vision and Eye Health: A Snapshot of Current National Issues* (1st ed.). Chicago, IL: National Center for Children's Vision and Eye Health at Prevent Blindness. This report in turn cites: Kemper, A.R., Helfrich, A., Talbot, J., Patel, N., Crews, J.E. (2011). Improving the Rate of Preschool Vision Screening: An Interrupted Time-Series Analysis. *Pediatrics*, 128(5), 1279-1284.
87. "Children's Vision and Eye Health: A Snapshot of Current National Issues" report by The National Center for Children's Vision and Eye Health at Prevent Blindness. This report in turn cites: Zhang, X., Elliott, M.N., Saaddine, J.B. et al. (2012). Unmet Eye Care Needs Among U.S. 5th-Grade Students. *American Journal of Preventive Medicine* 43(1):55-58, 14.

88. Studies examining barriers to follow up care: i) Zhang, X., Elliott, M.N., Saaddine, J.B., Berry, J.G., Cuccaro, P., Tortolero, S., Franklin, F., Barker, L.E., Schuster, M.A., Am, J. (2012, July). 43(1):55-8. doi: 10.1016/j.amepre.2012.01.032. Unmet eye care needs among U.S. 5th-grade students. ; ii) Su, Z., Marvin, E.K., Wang, B.Q., van Zyl T, Elia MD, Garza EN, Salchow DJ, Forster SH. Identifying barriers to follow-up eye care for children after failed vision screening in a primary care setting. J AAPOS. 2013 Aug;17(4):385-90. doi: 10.1016/j.jaapos.2013.05.008. Link: <http://www.ncbi.nlm.nih.gov/pubmed/23993718>; iii) "Children's Vision and Eye Health: A Snapshot of Current National Issues" report by The National Center for Children's Vision and Eye Health at Prevent Blindness. This report in turn cites: a) Chu, R., Huang, K., Barnhardt, C., Chen, A. (2015). The Effect of an On-Site Vision Examination on Adherence to Vision Screening Recommendations. The Journal of School Nursing, 31(2):84-90. and b) Traboulsi EI, Cimino H, Mash C, et al. Vision First, A Program to Detect and Treat Eye Diseases in Young Children: The First Four Years. Transactions of the American Ophthalmological Society, 2008;106:179-186.
89. Healthy People 2020 Vision Objective: [V-5.1 Reduce visual impairment due to uncorrected refractive error](#) . Data source was 2005 to 2008 National Health and Nutrition Examination Survey (NHANES); Centers for Disease Control and Prevention, National Center for Health Statistics (CDC/NCHS). Available at: <http://www.healthypeople.gov/2020/data-search/Search-the-Data?nid=5379> This estimate is based on distance visual acuity test, with usual correction if any. Prevalence in the 12 to 17 age group is 17.7% (176.8 per 1000 people).
90. Ruderman, M. (2016). Children's Vision and Eye Health: A Snapshot of Current National Issues (1st ed.). Chicago, IL: National Center for Children's Vision and Eye Health at Prevent Blindness. This study in turn cites: Qiu, M., Wang, S.Y., Singh, K., Lin, S.C. (2014). Racial Disparities in Uncorrected and Undercorrected Refractive Error in the United States. Investigative Ophthalmology & Visual Science, 55(10), 6996-7005.
91. Basch, C. E. (2011). Vision and the Achievement Gap Among Urban Minority Youth. Journal of School Health, 81: 599–605. doi: 10.1111/j.1746-1561.2011.00633.x
92. Shankar, S., Evans ,M.A and Bobier, W.R. (2007, November). "Hyperopia and emergent literacy of young children: pilot study." Optom Vis Sci.84(11):1031-8.
93. Kulp, M.T., Ciner, E., Maguire, M., Moore, B, Pentimonti, J., Pistilli, M., Cyert, L., Candy, T.R., Quinn, G and Ying, G.S. (2016, April). Uncorrected Hyperopia and Preschool Early Literacy: Results of the Vision in Preschoolers-Hyperopia in Preschoolers (VIP-HIP) Study. VIP-HIP Study Group. [Ophthalmology](#);123(4):681-9. doi: 10.1016/j.ophtha.2015.11.023. Epub 2016 Jan 27.
94. Narayanasamy S, Vincent SJ, Sampson GP, Wood JM (February 2015). Impact of simulated hyperopia on academic-related performance in children. Optometry and Vision Science, Vol. 92, No. 2.
95. Ma Xiaochen, Zhou Zhongqiang, Yi Hongmei, Pang Xiaopeng, Shi Yaojiang, Chen Qianyun et al. Effect of providing free glasses on children's educational outcomes in China: cluster randomized controlled trial BMJ 2014.
96. Orlansky,G., Wilmer,J., Taub, M.B., Rutner, D., Ciner, E. and Gryczynski, J. (2015). Astigmatism and Early Academic Readiness in Preschool Children. Optom Vis Sci 92:279Y285.
97. Wills, J., Gillett, R., Eastwell, E., Abraham, R., Coffey, K., Webber, A and Wood, J. (2012). Effect of Simulated Astigmatic Refractive Error on Reading Performance in the Young. 1040-5488/12/8903-0271/0 VOL. 89, NO. 3, PP. 271–276.
98. Kelly, K.R. et al. Amblyopic children read more slowly than controls under natural, binocular reading conditions. Journal of American Association for Pediatric Ophthalmology and Strabismus {JAAPOS} , Volume 19 , Issue 6 , 515-520. Epub 2015 Nov 20.
99. Webber, A.L., Wood, J.M., Gole, G. A and Brown, B. (2008, February). The effect of amblyopia on fine motor skills in children. Invest Ophthalmol Vis Sci.49(2):594-603. doi: 10.1167/iovs.07-0869.

100. Basch, C. E. (2011). Vision and the Achievement Gap Among Urban Minority Youth. *Journal of School Health*, 81:599–605. doi: 10.1111/j.1746-1561.2011.00633.x. Study cited: Taylor Kulp, M. (1999, March). Relationship between visual motor integration skill and academic performance in kindergarten through third grade. *Optom Vis Sci*. Mar;76(3):159-63.
101. Barnhardt, C., Borsting, E., Deland, P., Pham, N and Vu, T. (2005,February). Relationship between visual-motor integration and spatial organization of written language and math. *Optom Vis Sci*. 2005 Feb;82(2):138-43.
102. Barnhardt, C., Borsting, E., Deland, P., Pham, N and Vu, T. (2005,February). Relationship between visual-motor integration and spatial organization of written language and math. *Optom Vis Sci*. 2005 Feb;82(2):138-43. Language-based skills are letter sound knowledge, rapid naming of letters, phonological awareness, vocabulary, decoding skills and word reading fluency.

UNADDRESSED HEARING PROBLEMS

103. American Speech-Language-Hearing Association, “Type, Degree and Configuration of Hearing Loss” Retrieved from: <http://www.asha.org/uploadedFiles/AIS-Hearing-Loss-Types-Degree-Configuration.pdf>
104. Clark, J. G. (1981). Uses and abuses of hearing loss classification. *Asha*, 23, 493–500
105. American Speech-Language-Hearing Association. Guidelines for Audiologic Screening ASHA Panel on Audiologic Assessment. Retrieved from <http://www.asha.org/policy/GL1997-00199/>
106. American Speech-Language-Hearing Association. Guidelines for Audiologic Screening ASHA Panel on Audiologic Assessment. Retrieved from <http://www.asha.org/policy/GL1997-00199/>.
107. American Speech-Language-Hearing Association. Guidelines for Audiologic Screening ASHA Panel on Audiologic Assessment. Retrieved from <http://www.asha.org/policy/GL1997-00199/>
108. American Academy of Audiology. Childhood Hearing Screening Guidelines. September 2011. Retrieved from: https://www.cdc.gov/ncbddd/hearingloss/documents/aaa_childhood-hearing-guidelines_2011.pdf
109. Niskar, A. S., Kieszak, S. M., Holmes, A., Esteban, E., Rubin, C., and Brody, D. J. (1998). Prevalence of Hearing Loss Among Children 6 to 19 Years of Age. The Third National Health and Nutrition Examination Survey. *Journal of the American Medical Association*, 279(4), 1071-1075.
110. Niskar AS, Kieszak SM, Holmes AE, Esteban E, Rubin C, Brody DJ. Estimated prevalence of noise-induced hearing threshold shifts among children 6 to 19 years of age: the Third National Health and Nutrition Examination Survey, 1988–1994, United States. *Pediatrics*. 2001;108:40–43.
111. Year 2007 Position Statement: Principles and Guidelines for Early Hearing Detection and Intervention Programs. (2007, October). VOLUME 120/ISSUE 4. Retrieved from: <http://pediatrics.aappublications.org/content/120/4/898>.
112. Bright Futures/American Academy of Pediatrics. Recommendations for Preventive Pediatric Health Care. These guidelines represent a consensus by the American Academy of Pediatrics (AAP) and Bright Futures. The AAP continues to emphasize the great importance of continuity of care in comprehensive health supervision and the need to avoid fragmentation of care. Refer to the specific guidance by age as listed in Bright Futures guidelines (Hagan JF, Shaw JS, Duncan PM, eds. *Bright Futures Guidelines for Health Supervision of Infants, Children and Adolescents*. 3rd ed. Elk Grove Village, IL: American Academy of Pediatrics; 2008).
113. American Speech-Language-Hearing Association. Guidelines for Audiologic Screening ASHA Panel on Audiologic Assessment. Retrieved from <http://www.asha.org/policy/GL1997-00199/>

114. American Speech-Language-Hearing Association. Guidelines for Audiologic Screening ASHA Panel on Audiologic Assessment. Retrieved from <http://www.asha.org/policy/GL1997-00199/> .
115. Buz Harlor, A. and Bower, C. (2009, October). Hearing Assessment in Infants and Children: Recommendations Beyond Neonatal Screening. Pediatrics. VOLUME 124/ISSUE 4.
116. William A. Rutala, Ph.D., M.P.H.1,2, David J. Weber, M.D., M.P.H.1,2, and the Healthcare Infection Control Practices Advisory Committee (HICPAC) Guideline for Disinfection and Sterilization in Healthcare Facilities, 2008 http://www.cdc.gov/hicpac/pdf/guidelines/disinfection_nov_2008.pdf
117. Year 2007 Position Statement: Principles and Guidelines for Early Hearing Detection and Intervention Programs. (2007, October). VOLUME 120/ISSUE 4. Retrieved from: <http://pediatrics.aappublications.org/content/120/4/898>.
118. American Speech-Language-Hearing Association. Guidelines for Audiologic Screening ASHA Panel on Audiologic Assessment. Retrieved from <http://www.asha.org/policy/GL1997-00199/> .
119. National center for Hearing Assessment and management. Utah State University. Retrieved from: www.infanthearing.org.
120. Buz Harlor, A.D and Bower, C. (2009, October). Hearing Assessment in Infants and Children: Recommendations Beyond Neonatal Screening. Pediatrics, VOLUME 124/ISSUE 4.
121. Perkins, J and McKeeon, C. (2004). Issue Brief: Hearing Services for Children on Medicaid: A Review of EPSDT Services. Accessed from : <http://www.healthlaw.org/publications/Issue-brief-hearing-services-for-children-on-medicaid#.V4kH2fkrLct>
122. Sekhar, Zalewski, Paul (2013). Variability of State School-Based Hearing Screening Protocols in The United States. J Community Health (2013) 38:569–574 DOI 10.1007/s10900-013-9652-6
123. American Academy of Audiology Childhood Hearing Screening Guidelines(2001, September). Accessed from: http://www.cdc.gov/ncbddd/hearingloss/documents/AAA_Childhood%20Hearing%20Guidelines_2011.pdf
124. Yoshinaga-Itano, C. (1995). Efficacy of early identification and early intervention. Semin Hear.16. 115– 123.
125. Yoshinaga-Itano, C., Coulter, D., Thomson, V.(2000). The Colorado Newborn Hearing Screening Project: effects on speech and language development for children with hearing loss. J Perinatol. 20(8 pt 2) :S132– S137
126. Blumsack and Anderson, 2004 <http://www.hearingreview.com/2004/09/back-to-school-13-facts-revisited/>
127. Yoshinaga-Itano, C. (2004). Levels of evidence: universal newborn hearing screening (UNHS) and early hearing detection and intervention systems (EHDI). J Commun Disorder. 37 :451– 465.
128. Bess, F., Dodd-Murphy. And Parker, R. (1998). Minimal hearing loss in children: Prevalence, education progress and functional status. Ear and Hearing 19: 339-354.
129. Bess, F., Dodd - Murphy, J., and R. Parker. (1998). Minimal hearing loss in children: Prevalence, educational progress and functional status. Ear and Hearing 19: 339 - 35.
130. Bess, F., Dodd-Murphy. And Parker, R. (1998). Minimal hearing loss in children: Prevalence, education progress and functional status. Ear and Hearing 19: 339-354.
131. Bess, F. (1982). Children with unilateral hearing loss. Journal of the Academy of Rehabilitative Audiology 15:131-144.

132. Lieu, J. (2004). Speech-Language and Educational Consequences of Unilateral Hearing Loss in Children. *Arch Otolaryngol Head Neck Surg.* 130(5):524-530. doi:10.1001/archotol.130.5.524
133. Lieu, J.E., Tye-Murray, N., Karzon and R.K., Piccirillo, J.F. (2010, June). Unilateral hearing loss is associated with worse speech-language scores in children. *Pediatrics.*125(6). e1348-55. doi: 10.1542/peds.2009-2448. Epub 2010 May 10
134. Brooks, D. 1978. Impedance screening for school children: State of the art. In *Impedance Screening for Middle Ear Disease in Children*, edited by E. Harford and others . New York: Grune & Stratton, Inc.
135. Lous, J. and M. Fiellau Nikolajsen. 1981. Epidemiology of middle ear effusion and tubal dysfunction. A one year study comprising monthly tympanometry in 387 non selected seven year old children. *International Journal of Pediatric Otorhinolaryngology* 3: 303-317.

DENTAL PAIN

136. Lewis, C. and Stout, J. (2010 Nov). Toothache in US children. *Arch Pediatr Adolesc Med.* 164(11) 1059-63. doi: 10.1001/archpediatrics.2010.206. PMID: 21041599. This study in turn cites from: Matthews RW, Peak JD, Scully C. (1994). The efficacy of management of acute dental pain. *Br Dent, J.* (1994). 176(11):413-416.
137. The description of the process of dental decay is described by Colgate Oral Care Center. Retrieved on 02/23/2016 from: <http://www.colgate.com/en/us/oc/oral-health/conditions/cavities/article/dental-caries-cavities> Website states that description has been reviewed by the Columbia University College of Dental Medicine.
138. Center for Surveillance, Epidemiology, and Laboratory Services, Centers for Disease Control and Prevention (CDC), U.S. Department of Health and Human Services. "Use of Selected Clinical Preventive Services to Improve the Health of Infants, Children, and Adolescents — United States, 1999–2011. We have drawn from the subsection: "Use of Dental Care and Effective Preventive Services in Preventing Tooth Decay Among U.S. Children and Adolescents — Medical Expenditure Panel Survey, United States, 2003–2009 and National Health and Nutrition Examination Survey, United States, 2005–2010."
139. Pine CM, Harris RV, Burnside G, Merrett MC. An investigation of the relationship between untreated decayed teeth and dental sepsis in 5-year-old children. *Br Dent J.* 2006 Jan 14;200(1):45-7; discussion 29. PubMed PMID:16415836.
140. Dye, B.A., Thornton-Evans, G., Li X, Iafolla TJ. Dental caries and sealant prevalence in children and adolescents in the United States, 2011–2012. NCHS data brief, no 191. Hyattsville, MD: National Center for Health Statistics. 2015. This study uses 2011-2012 National Health and Nutrition Examination Survey data.
141. Dye, B.A., Thornton-Evans, G., Li, X., Iafolla, T.J. Dental caries and sealant prevalence in children and adolescents in the United States, 2011–2012. NCHS data brief, no 191. Hyattsville, MD: National Center for Health Statistics. 2015. Retrieved on 02/23/2016 from: <http://www.cdc.gov/nchs/data/databriefs/db191.pdf>. Note that rate for dental caries in the 2 to 5 years olds is referring to primary teeth, while the rates for the older age groups of 6 to 11 year olds and 12 to 19 year olds are referring to permanent teeth.
142. Data Source: National Health and Nutrition Examination Survey (NHANES), CDC/NCHS. Healthy People 2020. OH-1.2: Children with dental caries in their primary and permanent teeth (percent, 6–9 years). Disparities Overview by Income. Retrieved from: <https://www.healthypeople.gov/2020/data/disparities/summary/Chart/4993/6.1>
143. Dye, B.A., Thornton-Evans, G., Li X, Iafolla TJ. Dental caries and sealant prevalence in children and adolescents in the United States, 2011–2012. NCHS data brief, no 191. Hyattsville, MD: National Center for Health Statistics. 2015. This study uses 2011-2012 National Health and Nutrition Examination Survey data.

144. National Health and Nutrition Examination Survey (NHANES), CDC/NCHS. Healthy People 2020. OH-2.2 Reduce the proportion of children aged 6 to 9 years with untreated dental decay in their primary and permanent teeth. Retrieved from: <https://www.healthypeople.gov/2020/data-search/Search-the-Data#objid=5017>
145. Dye, B.A., Thornton-Evans, G., Li X, Iafolla T.J. Dental caries and sealant prevalence in children and adolescents in the United States, 2011–2012. NCHS data brief, no 191. Hyattsville, MD: National Center for Health Statistics. 2015. This study uses 2011-2012 National Health and Nutrition Examination Survey data. Retrieved on 02/23/201 from: <http://www.cdc.gov/nchs/data/databriefs/db191.pdf>.
146. Mulligan, R., Seirawan, H., Faust, S and Barzaga, C. Dental caries in underprivileged children of Los Angeles. J Health Care Poor Underserved. 2011; 22(2):648–662 [PubMed].
147. National Center for Health Statistics. Health, United States, 2015: With Special Feature on Racial and Ethnic Health Disparities. Hyattsville, MD. 2016. Table 60. Untreated dental caries, by selected characteristics: United States, selected years 1988–1994 through 2011–2012. Page 224. Link: [http://www.cdc.gov/nchs/data/15.pdf](http://www.cdc.gov/nchs/data/hus/15.pdf)
148. Source: Data supporting Healthy People 2020 Oral Health Objectives. Caries prevalence by age group over time. Children aged 3 to 5 years: 1999-2004: 33.3% & 2011-2012: 27.9%. Children aged 6 to 9 years: 1999-2004: 54.4% & 2011-2012: 57.7%. Children aged 13 to 15 years: 1999-2004: 53.7% & 2011-2012: 53.4%.
149. Prevention recommendations are taken from the following CDC study: Center for Surveillance, Epidemiology, and Laboratory Services, Centers for Disease Control and Prevention (CDC), U.S. Department of Health and Human Services. “Use of Selected Clinical Preventive Services to Improve the Health of Infants, Children, and Adolescents — United States, 1999–2011. See subsection: “Use of Dental Care and Effective Preventive Services in Preventing Tooth Decay Among U.S. Children and Adolescents — Medical Expenditure Panel Survey, United States, 2003–2009 and National Health and Nutrition Examination Survey, United States, 2005–2010.”
150. School-Based Oral Health Services: A Select Bibliography. Link: <http://www.healthinschools.org/Health-in-Schools/Health-Services/School-Based-Dental-Health/Dental-Health-Bibliography.aspx>
151. See Healthy People 2020 Oral Health Objectives at: <https://www.healthypeople.gov/2020/topics-objectives/topic/oral-health/objectives>
152. Centers for Medicaid & Medicare Services. (CMS). National Health Expenditure Projections 2011-2021. 2011.
153. Solomon, E.S. The past and future evolution of the dental workforce team. J Dent Educ, 2012. 76(8): p. 1028-35.
154. Tellez, Marisol et al. Sealants and dental caries. The Journal of the American Dental Association , Volume 142 , Issue 9 , 1033 – 1040.
155. National 2009 data is taken from the following CDC study: Center for Surveillance, Epidemiology, and Laboratory Services, Centers for Disease Control and Prevention (CDC), U.S. Department of Health and Human Services. “Use of Selected Clinical Preventive Services to Improve the Health of Infants, Children, and Adolescents — United States, 1999-2011. We have drawn from the subsection: “Use of Dental Care and Effective Preventive Services in Preventing Tooth Decay Among U.S. Children and Adolescents — Medical Expenditure Panel Survey, United States, 2003–2009 and National Health and Nutrition Examination Survey, United States, 2005-2010. Retrieved on 11/01/16 from: <https://www.cdc.gov/mmwr/preview/mmwrhtml/su6302a9.htm>
156. -2012 data is taken from: Dye, B.A., Thornton-Evans, G., Li X., Iafolla, T.J. (2015). Dental caries and sealant prevalence in children and adolescents in the United States, 2011–2012. NCHS data brief, no 191. Hyattsville, MD: National Center for Health Statistics. Retrieved on 02/23/201 from: <http://www.cdc.gov/nchs/data/databriefs/db191.pdf>.

157. Jackson, S.L., Vann, W.F., Kotch, J.B, Pahel, B.T and Lee, J.Y. (2011). Impact of Poor Oral Health on Children's School Attendance and Performance. *American Journal of Public Health*.101(10):1900-1906. doi:10.2105/AJPH.2010.200915.
158. Seirawan, H., Faust, S and Mulligan, R.(2012, September). "The impact of oral health on the academic performance of disadvantaged children." *Am J Public Health*.;102(9):1729-34. doi: 10.2105 /AJPH.2011. 300478. Epub 2012 Jul 19.5.
159. Pourat, N. and Nicholson G. (2009). *Unaffordable Dental Care Is Linked to Frequent School Absences*. Los Angeles, CA: UCLA Center for Health Policy Research. This report uses data from the 2007 California Health Interview Survey. Respondent (parent or legal guardian) was asked to specifically not count time missed for cleaning or a checkup.
160. School of Dentistry and the Department of Pediatric Dentistry at Mott Children's Health Center in Flint. Unable to find study report or journal article. Findings of study described in article posted on University of Michigan website. "More vigilance needed in children's oral health." Jerry Mastey. University of Michigan School of Dentistry. February 8, 2006. Retrieved on 02/23/16 from: http://www.ur.umich.edu/0506/Feb06_06/20.shtml
161. Fast Facts by National Center for Education Statistics says: "The average class size in 2011–12 was 21.2 pupils for public elementary schools and 26.8 pupils for public secondary schools."
Link: <http://nces.ed.gov/fastfacts/display.asp?id=28>
162. Seirawan, H., Faust, S and Mulligan, R. (2012, September). "The impact of oral health on the academic performance of disadvantaged children." *Am J Public Health*. 102(9):1729-34. doi: 10.2105/AJPH.2011.300478. Epub 2012 Jul 19.
163. Jackson, S.L., Vann, W.F., Kotch, J.B., Pahel, B.T and Lee, J.Y. (2011). Impact of Poor Oral Health on Children's School Attendance and Performance. *American Journal of Public Health*. 101(10):1900-1906. doi:10.2105/AJPH.2010.200915.
164. Pourat, N and Nicholson, G. (2009). *Un-affordable Dental Care Is Linked to Frequent School Absences*. Los Angeles, CA: UCLA Center for Health Policy Research. This report uses data from the 2007 California Health Interview Survey. Respondent (parent or legal guardian) was asked to specifically not count time missed for cleaning or a checkup.
165. Gift, H.C., Reisine, S.T and Larach D.C. (1992). The social impact of dental problems and visits. *Am J Public Health*. 82:1663–8.
166. Seirawan, H., Faust, S. and Mulligan, R.(2012, September). "The impact of oral health on the academic performance of disadvantaged children." *Am J Public Health*. 102(9):1729-34. doi: 10.2105/AJPH.2011.300478. Epub 2012 Jul 19.
167. The studies vary in terms of how dental health or dental problems are defined and measured, which variables that influence school performance are controlled for in the model, and study populations.
168. Guarnizo-Herreño, C.C and Wehby, G.L. (2012, December). "Children's Dental Health, School Performance and Psychosocial Well-Being" *J Pediatr*. 161(6): 1153–1159.e2. Published online 2012 June 23. doi: 10.1016/j.jpeds.2012.05.025.
169. Jackson, S.L., Vann, W.F., Kotch, J.B., Pahel, B.T and Lee, J.Y. (2011), Impact of Poor Oral Health on Children's School Attendance and Performance. *American Journal of Public Health*.101(10):1900-1906. doi:10.2105/AJPH.2010.200915.
170. Seirawan, H., Faust, S. and Mulligan, R. (2012, September). "The impact of oral health on the academic performance of disadvantaged children." *Am J Public Health*. 102(9):1729-34. doi: 10.2105/AJPH.2011.300478. Epub 2012 Jul 19.

171. Study by School of Dentistry and the Department of Pediatric Dentistry at Mott Children's Health Center in Flint. Unable to find study report or journal article. Findings of study described in article posted on University of Michigan website. "More vigilance needed in children's oral health." By Jerry Mastey. UNiversity of Michigan School of Dentistry. February 8, 2006. Retrieved on 02/23/16 from: http://www.ur.umich.edu/0506/Feb06_06/20.shtml

172. Thikkurissy, S., Glazer, K., Amini, H., Casamassimo, P.S., Rashid, R. (2012). The comparative morbidities of acute dental pain and acute asthma on quality of life in children. *Pediatric Dentistry*. 34(4):e77– e80.

173. Guarnizo-Herreño, C.C and Wehby, G.L. (2012 December). "Children's Dental Health, School Performance and Psychosocial Well-Being" *J Pediatr*. 161(6): 1153–1159.e2. Published online 2012 June 23. doi: 10.1016/j.jpeds.2012.05.025.

174. Richard Niederman. Bringing Care to People Rather Than People to Care. *American Journal of Public Health*: September 2015, Vol. 105, No. 9, pp. 1733-1733. doi: 10.2105/AJPH.2015.302746

PERSISTENT HUNGER

175. Coleman-Jensen, A., Gregory, C and Singh, A. (2015, September). Household Food Security in the United States in 2014, ERRN-194, U.S. Department of Agriculture, Economic Research Service.

176. Lewit, E.M., Kerrebrock, N. Childhood Hunger. *The Future of Children WELFARE TO WORK* Vol. 7 • No. 1 – Spring 1997. Available at: Accessed on May 19, 2016. https://www.princeton.edu/futureofchildren/publications/docs/07_01_Indicators.pdf.

177. United States Department of Agriculture Economic Research Service. Definitions of Food Security. Available at: <http://www.ers.usda.gov/topics/food-nutrition-assistance/food-security-in-the-us/definitions-of-food-security.aspx>. Accessed on May 18, 2016.

178. This scale consists of 18 questions: three questions about food conditions of the household as a whole; seven questions about food conditions of adults in the household; and, if there are children present in the household, an additional eight questions about their food conditions. Each question asks whether the condition or behavior occurred at any time during the previous 12 months and specifies a lack of money and other resources to obtain food as the reason. Respondents are classified as food insecure if they report three or more food-insecure conditions. Households are classified as having food-insecure children if they report two or more food-insecure conditions among the children in response to questions 11-18.

179. Coleman-Jensen, A. Gregory, C. and Singh, A. (2015, September). Household Food Security in the United States in 2014, ERRN-194, U.S. Department of Agriculture, Economic Research Service.

180. United States Department of Agriculture Economic Research Service. Definitions of Food Security. Available at: <http://www.ers.usda.gov/topics/food-nutrition-assistance/food-security-in-the-us/definitions-of-food-security.aspx>. Accessed on May 18, 2016.

181. Coleman-Jensen, A., (2015, September). Gregory, C and Singh, A. Household Food Security in the United States in 2014, ERRN-194, U.S. Department of Agriculture, Economic Research Service. Page 8. NOTE: The latest study from USDA Economic Research Services' report.

182. Within a food-insecure household, each household member may be affected differently by the household's food insecurity. Some members—particularly young children—may experience only mild effects or none at all, while adults are more severely affected.

183. Alisha Coleman-Jensen, Matthew P. Rabbitt, Christian A. Gregory, and Anita Singh. Household Food Security in the United States in 2015, ERR-215, U.S. Department of Agriculture, Economic Research Service, September 2016. Retrieved on 11/01/16 from: <http://www.ers.usda.gov/webdocs/publications/err215/err-215.pdf>

184. No Kid Hungry Campaign. Share our strengths teachers report 2013: Hunger in our schools. 2013. Page 2. Available at: http://www.nokidhungry.org/pdfs/NKH_TeachersReport_2013.pdf
185. National Institutes of Health. Updated: February 11, 2016. Iron: Dietary Supplement Fact Sheet. The factsheet in turn cites from: 1) Brotanek, J.M., Gosz, J., Weitzman, M and Flores, G.(2007). Iron deficiency in early childhood in the United States: risk factors and racial/ethnic disparities. *Pediatrics* 2007;120:568-75. [[PubMed abstract](#)]; 2) Eicher-Miller HA, Mason AC, Weaver CM, McCabe GP, Boushey CJ. Food insecurity is associated with iron deficiency anemia in US adolescents. *Am J Clin Nutr* 2009;90:1358-71. [[PubMed abstract](#)]. Factsheet retrieved on 06/21/2016 from: <https://ods.od.nih.gov/factsheets/Iron-HealthProfessional/#h6>
186. Baker, R.D., Greer, F.R. and The AAP Committee on Nutrition. (2010). Diagnosis and Prevention of Iron Deficiency and Iron-Deficiency Anemia in Infants and Young Children (0 -3 Years of Age). *Pediatrics*.126;1040
187. Data on Iron Deficiency, Iron Deficiency Anemia and Anemia are from: Baker,R.D., Greer F.R and The AAP Committee on Nutrition. (2010). Diagnosis and Prevention of Iron Deficiency and Iron-Deficiency Anemia in Infants and Young Children (0 -3 Years of Age). *Pediatrics*.126;1040. This article used data from the 1999-2002 National Health and Nutrition Examination Survey.
188. Baker, R.D., Greer, F.R and The AAP Committee on Nutrition. (2010). Diagnosis and Prevention of Iron Deficiency and Iron-Deficiency Anemia in Infants and Young Children (0 -3 Years of Age). *Pediatrics*. 126;1040
189. Baker, R.D., Greer, F.R and The AAP Committee on Nutrition. (2010). Diagnosis and Prevention of Iron Deficiency and Iron-Deficiency Anemia in Infants and Young Children (0 -3 Years of Age). *Pediatrics*.126;1040
190. Baker,R.D., Greer F.R and The AAP Committee on Nutrition. (2010). *Diagnosis and Prevention of Iron Deficiency and Iron-Deficiency Anemia in Infants and Young Children (0 -3 Years of Age)*. *Pediatrics*. 126;1040
191. Halterman, J. S., Kaczorowski, J. M., Aligne, C. A., Auinger, P., & Szilagyi, P. G. (2001). Iron deficiency and cognitive achievement among school-aged children and adolescents in the United States. *Pediatrics*, 107(6), 1381-1386.
192. Buckley, N. (2016). Advancing Health through Food Security: A Multi-Sector Approach to Address the Disease Burden and Costs of U.S. Food Insecurity on our Health System. Retrieved from:<http://www.childrenshealthwatch.org/wp-content/uploads/Aspen-Report.pdf>
193. Council on Community Paediatrics, Committee on nutrition. (2015). Promoting Food Security for All Children. *Pediatrics* Oct 2015, peds.2015-3301; DOI: 10.1542/peds.2015-3301. Retrieved from:<http://pediatrics.aappublications.org/content/early/2015/10/20/peds.2015-3301>
194. Child Food Insecurity: The Economic Impact on our Nation. A report on research on the impact of food insecurity and hunger on child health, growth and development commissioned by Feeding America and The ConAgra Foods Foundation. John Cook, PhD, Project Director & Karen Jeng, AB, Research and Policy Fellow. 2009.
195. Perez-Escamilla R, Pinheiro de Toledo Vianna R (2012).) "Food Insecurity and the Behavioral and Intellectual Development of Children: A Review of the Evidence," *Journal of Applied Research on Children: Informing Policy for Children at Risk*: Vol. 3: Iss. 1, Article 9. Available at: <http://digitalcommons.library.tmc.edu/childrenatrisk/vol3/iss1/9>
196. McLaughlin KA, Green JG, Alegría M, Jane Costello E, Gruber MJ, Sampson NA, Kessler RC. Food insecurity and mental disorders in a national sample of U.S. adolescents. *J Am Acad Child Adolesc Psychiatry*. 2012 Dec;51(12):1293-303. doi: 10.1016/j.jaac.2012.09.009. Epub 2012 Nov 6.
197. Perez-Escamilla R, Pinheiro de Toledo Vianna R (2012).) "Food Insecurity and the Behavioral and Intellectual Development of Children: A Review of the Evidence," *Journal of Applied Research on Children: Informing Policy for Children at Risk*: Vol. 3: Iss. 1, Article 9. Available at: <http://digitalcommons.library.tmc.edu/childrenatrisk/vol3/iss1/9>

198. The ECLS-K is “a survey from the National center for Health Statistics, which followed a nationally representative sample of over 21,000 children focuses on children’s early school experiences beginning with kindergarten in 1998-1999, and following children through middle school. The ECLS-K data provide descriptive information on children’s status at entry to school, their transition into school, and their progression through 8th grade. The longitudinal nature of the ECLS-K data enables researchers to study how a wide range of family, school, community, and individual factors are associated with school performance.” From: Institute of Education Science, National Center for Health Statistics. Early Childhood Longitudinal Programs. Available at: <https://nces.ed.gov/ecls/kindergarten.asp>. Accessed on 06/06/2016.
199. Stormer, A and Harrison, G. (2013, November). Does Household Food Security Affect Cognitive and Social Development of Kindergarteners? Institute for Research on Poverty Discussion Paper no. 1267-03. Available at: <http://eric.ed.gov/?id=ED499717>. Accessed on 05/28/2016.
200. Kleinman, R.E., Murphy, J.M, Little, M, Pagano, M., Wehler, C.A., Regal, K and Jellinek, M.S. (1998, January). Hunger in children in the United States: potential behavioral and emotional correlates. *Pediatrics*.101(1):E3.
201. Weinreb, L., Wehler, C., Perloff, J., Scott, R., Hosmer, D., Sagor, L., Gundersen, C. (2002, October). Hunger: its impact on children’s health and mental health. *Pediatrics*. 110(4):e41.
202. McLaughlin KA, Green JG, Alegría M, Jane Costello E, Gruber MJ, Sampson NA, Kessler RC. Food insecurity and mental disorders in a national sample of U.S. adolescents. *J Am Acad Child Adolesc Psychiatry*. 2012 Dec;51(12):1293-303. doi: 10.1016/j.jaac.2012.09.009. Epub 2012 Nov 6.
203. Rose-Jacobs, R., Black, M.M., Casey, P.H., Cook, J.T., Cutts, D.B., Chilton, M., Heeren, T., Levenson, S.M., Meyers, A.F and Frank, D.A. (2008, January). Household food insecurity: associations with at-risk infant and toddler development. *Pediatrics*.121(1):65-72
204. Alaimo, K., Olson, C.M and Frongillo, E.A. Jr. (2001, July) Food insufficiency and American school-aged children’s cognitive, academic, and psychosocial development. *Pediatrics*. 108(1):44-53.
205. Ashiabi, G. (2005). Household food insecurity and children’s school engagement. *Journal of Children & Poverty*. Vol. 11 No 1,
206. Winicki, J and Jemison, K. (2003, November). Food insecurity and hunger in the kindergarten classroom: its effect on learning and growth. *Contemporary economic policy*. v. 21, no. 2: 145:157.
207. Kleinman, R.E., Murphy, J.M, Little, M., Pagano, M., Wehler, C.A., Regal, K and Jellinek, M.S. (1998, January). Hunger in children in the United States: potential behavioral and emotional correlates. *Pediatrics*. 101(1):E3.
208. Jyoti, D.F, Frongillo E.A and Jones S.J. (2005, December). Food insecurity affects school children’s academic performance, weight gain, and social skills. *J Nutr.*;135(12):2831-9. NOTE: In this study children were defined as food insecure if their parent or caregiver affirmed at least one question of the USDA food security questionnaire.
209. Weinreb, L, Wehler, C, Perloff, J, Scott, R, Hosmer, D, Sagor, L, Gundersen, C. (2002, October). Hunger: its impact on children’s health and mental health. *Pediatrics*.110(4):e41.
210. Stormer, A., Harrison G. (2003, November). Does Household Food Security Affect Cognitive and Social Development of Kindergarteners? Institute for Research on Poverty Discussion Paper no. 1267-03. Available at: <http://eric.ed.gov/?id=ED499717>. Accessed on 05/28/2016.

CERTAIN MENTAL HEALTH AND BEHAVIORAL PROBLEMS

211. Centers for Disease Control and Prevention. Mental health surveillance among children — United States 2005–2011. MMWR 2013;62(Suppl; May 16, 2013):1-35. Available at: <http://www.cdc.gov/mmwr/preview/mmwrhtml/su6202a1.htm>. Accessed on May 12, 2016.
212. Centers for Disease Control and Prevention. Mental health surveillance among children — United States 2005–2011. MMWR 2013;62(Suppl; May 16, 2013):1-35. Available at: <http://www.cdc.gov/mmwr/preview/mmwrhtml/su6202a1.htm>. Accessed on May 12, 2016. See TABLE 3. “Estimated prevalence and number of children with mental disorders, by surveillance system, age range, and year — National Health Interview Survey, National Survey of Children’s Health, National Survey on Drug Use and Health, and National Health and Nutrition Examination Survey, United States, 2007–2011.” Please note that for children aged 12 to 17 years alcohol abuse and illicit drug abuse are also among the most common mental health disorders. This report focuses on disorders in younger children.
213. Liu, J. (2004). Childhood Externalizing Behavior: Theory and Implications. *J Child Adolesc Psychiatr Nurs.* 17(3): 93–103.
214. Definitions of ADHD, ODD and Conduct Disorder taken from: Centers for Disease Control and Prevention. Mental health surveillance among children — United States 2005–2011. MMWR 2013;62. Suppl; May 16, 2013):1-35. Available at: <http://www.cdc.gov/mmwr/preview/mmwrhtml/su6202a1.htm>. Accessed on May 12, 2016.
215. Liu, J. (2004). Childhood Externalizing Behavior: Theory and Implications. *J Child Adolesc Psychiatr Nurs.* 17(3): 93–103.
216. Substance Abuse and Mental Health Services Administration. Available at: <http://www.samhsa.gov/disorders/mental>. Accessed on 06/28/2016.
217. Centers for Disease Control and Prevention. Mental health surveillance among children — United States 2005–2011. MMWR 2013;62(Suppl; May 16, 2013):1-35. Available at: <http://www.cdc.gov/mmwr/preview/mmwrhtml/su6202a1.htm>. Accessed on May 12, 2016.
218. The mental health problems examined in this section are behavioral disorders, depression, and anxiety. ADHD has a separate section (See Section 8.3) , since it is the most prevalent disorder among school-age children and it has a strong association with learning outcomes.
219. Mizock, L & Harkins, D. (2011). Diagnostic Bias and Conduct Disorder: Improving Culturally Sensitive Diagnosis, *Child & Youth Services*, 32:3, 243-253, DOI:10.1080/0145935X.2011.605315
220. Coker TR, Elliott MN, Toomey SL, et al. Racial and Ethnic Disparities in ADHD Diagnosis and Treatment. *Pediatrics.* 2016;138(3):e20160407
221. Paul L. Morgan, Jeremy Staff, Marianne M. Hillemeier, George Farkas, Steven Maczuga. Racial and Ethnic Disparities in ADHD Diagnosis From Kindergarten to Eighth Grade. *Pediatrics* Jun 2013, peds.2012-2390; DOI: 10.1542/peds.2012-2390.
222. Mizock, L & Harkins, D. (2011). Diagnostic Bias and Conduct Disorder: Improving Culturally Sensitive Diagnosis, *Child & Youth Services*, 32:3, 243-253, DOI:10.1080/0145935X.2011.605315
223. Coker TR, Elliott MN, Toomey SL, et al. Racial and Ethnic Disparities in ADHD Diagnosis and Treatment. *Pediatrics.* 2016;138(3):e20160407
224. Paul L. Morgan, Jeremy Staff, Marianne M. Hillemeier, George Farkas, Steven Maczuga. Racial and Ethnic Disparities in ADHD Diagnosis From Kindergarten to Eighth Grade. *Pediatrics* Jun 2013, peds.2012-2390; DOI: 10.1542/peds.2012-2390.

225. National Survey of Children's Health. NSCH 2011/12. Data query from the Child and Adolescent Health Measurement Initiative, Data Resource Center for Child and Adolescent Health website. Retrieved from www.childhealthdata.org Accessed on November 7, 2016. Topic: Physical and Dental Health. Question: Prevalence of current behavioral or conduct problems such as oppositional defiant disorder or conduct disorder, age 2-17 years. NOTE: Prevalence of lifetime diagnosis of the mental health conditions in this section are based on parents responding "Yes" when asked whether they had ever been told by a doctor or other health-care provider that their child had the condition. Prevalence of current diagnosis is based on parents responding "Yes" when asked whether the child still had the condition.
226. National Survey of Children's Health. NSCH 2011/12. Data query from the Child and Adolescent Health Measurement Initiative, Data Resource Center for Child and Adolescent Health website. Retrieved from www.childhealthdata.org Accessed on November 7, 2016. Topic: Physical and Dental Health. Question: Prevalence of current depression, age 2-17 years. NOTE: Prevalence of lifetime diagnosis of the mental health conditions in this section are based on parents responding "Yes" when asked whether they had ever been told by a doctor or other health-care provider that their child had the condition. Prevalence of current diagnosis is based on parents responding "Yes" when asked whether the child still had the condition.
227. National Survey of Children's Health. NSCH 2011/12. Data query from the Child and Adolescent Health Measurement Initiative, Data Resource Center for Child and Adolescent Health website. Retrieved from www.childhealthdata.org Accessed on November 7, 2016. Topic: Physical and Dental Health. Question: Prevalence of current anxiety problems, age 2-17 years. NOTE: Prevalence of lifetime diagnosis of the mental health conditions in this section are based on parents responding "Yes" when asked whether they had ever been told by a doctor or other health-care provider that their child had the condition. Prevalence of current diagnosis is based on parents responding "Yes" when asked whether the child still had the condition.
228. Kataoka, S.H, Zhang, L, Wells, K.B. (2002, September). Unmet need for mental health care among U.S. children: variation by ethnicity and insurance status. *Am J Psychiatry*.159(9):1548-55.
229. Lê Cook B, Barry, C.L, Busch, S.H. (2013,February). Racial/Ethnic Disparity Trends in Children's Mental Health Care Access and Expenditures from 2002 to 2007. *Health Serv Res*.48(1):129-49.
230. National Survey of Children's Health. NSCH 2011/12. Data query from the Child and Adolescent Health Measurement Initiative, Data Resource Center for Child and Adolescent Health website. Retrieved 05/31/16 from www.childhealthdata.org
231. American Academy of Pediatrics. Appendix S4: the case for routine mental health screening. *Pediatrics*. 2010;125(suppl 3):S133–S139. Retrieved from: http://pediatrics.aappublications.org/content/pediatrics/125/Supplement_3/S133.full.pdf
232. Carol Weitzman, Lynn Wegner, the SECTION ON DEVELOPMENTAL AND BEHAVIORAL PEDIATRICS, COMMITTEE ON PSYCHOSOCIAL ASPECTS OF CHILD AND FAMILY HEALTH, COUNCIL ON EARLY CHILDHOOD, AND SOCIETY FOR DEVELOPMENTAL AND BEHAVIORAL PEDIATRICS (2015).Promoting Optimal Development: Screening for Behavioral and Emotional Problems. *Pediatrics* Feb 2015, 135 (2) 384-395; DOI: 10.1542/peds.2014-3716. Retrieved from: <http://pediatrics.aappublications.org/content/135/2/384.full#ref-20>
233. Breslau, J., Miller, E., Breslau, N., Bohnert, K., Lucia, V., Schweitzer, J. (2009, June). The impact of early behavior disturbances on academic achievement in high school. *Pediatrics*.123(6):1472-6
234. McLeod, J.D., Kaiser, K. Childhood Emotional and Behavioral Problems and Educational Attainment. *American Sociological Review* Vol. 69, No. 5. 636-658.
235. Breslau, J., Lane, M., Sampson, N., Kessler, R.C. (2008, July). Mental disorders and subsequent educational attainment in a US national sample. *J Psychiatr Res*.42(9):708-16. doi: 10.1016/j.jpsychires. 2008.01.016. Epub 2008 Mar 10.

236. Breslau, J., Miller, E., Chung, W.J, Schweitzer, J.B. (2011, March). Childhood and adolescent onset psychiatric disorders, substance use, and failure to graduate high school on time. *J Psychiatr Res.* 45(3). 295-301.
237. Leach, L.S., Butterworth P. The effect of early onset common mental disorders on educational attainment in Australia. *Psychiatry Res.* 2012 Aug 30;199(1):51-7.
238. Esch P, Bocquet V, Pull C, Couffignal S, Lehnert T, Graas M, Fond-Harmant L, Anseau M. (2014, August). The downward spiral of mental disorders and educational attainment: a systematic review on early school leaving. *BMC Psychiatry.* 14:237
239. American Academy of Pediatrics, Subcommittee on Attention-Deficit/Hyperactivity Disorder, Steering Committee on Quality Improvement and Management. ADHD: Clinical practice guideline for the diagnosis, evaluation, and treatment of attention-deficit/hyperactivity disorder in children and adolescents. *Pediatrics.* 2011;128:1007-1022.
240. American Psychiatric Association. Diagnostic and statistical manual of mental disorders. 5th ed. Arlington, Va: American Psychiatric Publishing. 2013.
241. National Survey of Children's Health. NSCH 2011/12. Data query from the Child and Adolescent Health Measurement Initiative, Data Resource Center for Child and Adolescent Health website. Retrieved 05/31/16 from www.childhealthdata.org. Link to specific query: <http://childhealthdata.org/browse/survey/results?q=2388&r=1>
242. Centers for Disease Control and Prevention. Mental health surveillance among children — United States 2005–2011. *MMWR* 2013;62(Suppl; May 16, 2013):1-35. Available at: <http://www.cdc.gov/mmwr/preview/mmwrhtml/su6202a1.htm>. Accessed on May 12, 2016.
243. Coker TR, Elliott MN, Toomey SL, et al. Racial and Ethnic Disparities in ADHD Diagnosis and Treatment. *Pediatrics.* 2016;138(3):e20160407
244. Paul L. Morgan, Jeremy Staff, Marianne M. Hillemeier, George Farkas, Steven Maczuga. Racial and Ethnic Disparities in ADHD Diagnosis From Kindergarten to Eighth Grade. *Pediatrics* Jun 2013, peds.2012-2390; DOI: 10.1542/peds.2012-2390.
245. Mizock, L & Harkins, D. (2011). Diagnostic Bias and Conduct Disorder: Improving Culturally Sensitive Diagnosis, *Child & Youth Services*, 32:3, 243-253, DOI:10.1080/0145935X.2011.605315
246. National Survey of Children's Health. NSCH 2011/12. Data query from the Child and Adolescent Health Measurement Initiative, Data Resource Center for Child and Adolescent Health website. Retrieved 05/31/16 from www.childhealthdata.org. Link to specific query: <http://childhealthdata.org/browse/survey/results?q=2388&r=1>.
247. National Survey of Children's Health. NSCH 2011/12. Data query from the Child and Adolescent Health Measurement Initiative, Data Resource Center for Child and Adolescent Health website. Retrieved 05/31/16 from www.childhealthdata.org. Topic: Family Health and Activities. Question: Indicator 6.11: Adverse childhood experiences. Sub Group: Current ADD/ADHD (2-17 years). Link to specific query: <http://childhealthdata.org/browse/survey/results?q=2257&r=1&g=597>
248. Visser, S.N, Danielson, M.L, Bitsko, R.H, Holbrook, J.R, Kogan, M.D., Ghandour, R.M., Perou, R., Blumberg, S.J. (2014, January). Trends in the parent-report of health care provider-diagnosed and medicated attention-deficit/hyperactivity disorder: United States, 2003-2011. *J Am Acad Child Adolesc Psychiatry.*53(1):34-46.e2. doi: 10.1016
249. Coker TR, Elliott MN, Toomey SL, et al. Racial and Ethnic Disparities in ADHD Diagnosis and Treatment. *Pediatrics.* 2016;138(3):e20160407

250. Paul L. Morgan, Jeremy Staff, Marianne M. Hillemeier, George Farkas, Steven Maczuga. Racial and Ethnic Disparities in ADHD Diagnosis From Kindergarten to Eighth Grade. *Pediatrics* Jun 2013, peds.2012-2390; DOI: 10.1542/peds.2012-2390.
251. Barkley, R.A., Fischer, M., Smallish, L., Fletcher, K. (206, February). Young adult outcome of hyperactive children: adaptive functioning in major life activities. *J Am Acad Child Adolesc Psychiatry*. 45(2):192-202.
252. Frazier, T.W., Youngstrom, E.A., Glutting, J.J., Watkins, M.W. (2007). ADHD and achievement: meta-analysis of the child, adolescent, and adult literatures and a concomitant study with college students. *J Learn Disability*. 40(1):49-65.
253. Loe, I.M., Feldman, H.M. (2007). Academic and educational outcomes of children with ADHD. *Ambul Pediatr*. 7(1 Suppl):82-90.

EFFECTS OF LEAD EXPOSURE

254. CDC Agency for Toxic Substances & Disease Registry. "Lead Toxicity. What is Lead?" Retrieved from: <https://www.atsdr.cdc.gov/csem/csem.asp?csem=7&po=4>
255. World Health Organization 2010. PREVENTING DISEASE THROUGH HEALTHY ENVIRONMENTS. EXPOSURE TO LEAD: A MAJOR PUBLIC HEALTH CONCERN. Retrieved on 08/31/16 from <http://www.who.int/ipcs/features/lead.pdf>
256. Agency for Toxic Substances and Disease Registry. Toxicological profile for lead. Atlanta, GA: US Department of Health and Human Services, CDC, Agency for Toxic Substances and Disease Registry; 2007. Available at <http://www.atsdr.cdc.gov/toxprofiles/tp13.pdf> NOTE: 1) See Page 2 for information on ban on lead in gasoline: "Tetraethyl lead and tetramethyl lead were once used in the United States as gasoline additives to increase octane rating. However, their use was phased out in the United States in the 1980s, and lead was banned for use in gasoline for motor vehicles beginning January 1, 1996." 2) See Pages 411 -412 for information on lead-soldered cans: "In 1993, the FDA has established an action level for lead in fruit beverages (80 µg/kg) packaged in lead-soldered cans (FDA 1998b); in 1995, the use of lead soldered cans was banned by the FDA." 3) For ban of lead for use in paints, see Page 19.
257. AMERICAN ACADEMY OF PEDIATRICS Committee on Environmental Health. Lead Exposure in Children: Prevention, Detection, and Management. *Pediatrics* 2005;116;1036. Available at: <http://pediatrics.aappublications.org/content/116/4/1036>. Note that this is a compilation of other articles, cited in the statement.
258. National Safety Council. Lead Poisoning Factsheet. Link: http://www.nsc.org/NSCDocuments_Advocacy/Fact%20Sheets/Lead-Poisoning-Fact-Sheet.pdf
259. AMERICAN ACADEMY OF PEDIATRICS Committee on Environmental Health. Lead Exposure in Children: Prevention, Detection, and Management. *Pediatrics* 2005;116;1036. Available at: <http://pediatrics.aappublications.org/content/116/4/1036>. Note that this is a compilation of other articles, cited in the statement.
260. AMERICAN ACADEMY OF PEDIATRICS Committee on Environmental Health. Lead Exposure in Children: Prevention, Detection, and Management. *Pediatrics* 2005;116;1036. Available at: <http://pediatrics.aappublications.org/content/116/4/1036>. Note that this is a compilation of other articles, cited in the statement.
261. Agency for Toxic Substances and Disease Registry. Toxicological profile for lead. Atlanta, GA: US Department of Health and Human Services, CDC, Agency for Toxic Substances and Disease Registry; 2007. Available at <http://www.atsdr.cdc.gov/toxprofiles/tp13.pdf>
262. US Environmental Protection Agency. "Basic Information about Lead in Drinking Water." Link: <https://www.epa.gov/ground-water-and-drinking-water/basic-information-about-lead-drinking-water>
263. CDC. Lead Overview. Link: http://www.atsdr.cdc.gov/sites/toxzine/lead_toxzine.html

264. CDC Factsheet “Blood Lead Levels in Children.” Retrieved on 05/26/16 from: http://www.cdc.gov/nceh/lead/acclpp/lead_levels_in_children_fact_sheet.pdf
265. AMERICAN ACADEMY OF PEDIATRICS Committee on Environmental Health. *Lead Exposure in Children: Prevention, Detection, and Management*. Pediatrics 2005;116;1036. Available at: <http://pediatrics.aappublications.org/content/116/4/1036.full.html>
266. Agency for Toxic Substances and Disease Registry. Toxicological profile for lead. Atlanta, GA: US Department of Health and Human Services, CDC, Agency for Toxic Substances and Disease Registry; 2007. Available at <http://www.atsdr.cdc.gov/toxprofiles/tp13.pdf>
267. Educational Services for Children Affected by Lead Expert Panel. Educational interventions for children affected by lead. Atlanta: U.S. Department of Health and Human Services; 2015. Link: https://www.cdc.gov/nceh/lead/publications/educational_interventions_children_affected_by_lead.pdf
268. Agency for Toxic Substances and Disease Registry. Toxicological profile for lead. Atlanta, GA: US Department of Health and Human Services, CDC, Agency for Toxic Substances and Disease Registry; 2007. Available at <http://www.atsdr.cdc.gov/toxprofiles/tp13.pdf> NOTE: See section “3.6.1 Biomarkers Used to Identify or Quantify Exposure to Lead” on Page 226.
269. CDC Advisory Committee on Childhood Lead Poisoning Prevention. Low level lead exposure harms children: a renewed call for primary prevention. Atlanta, GA: US Department of Health and Human Services, CDC; 2012. See Pages ix to x. Available at http://www.cdc.gov/nceh/lead/acclpp/final_document_030712.pdf
270. CDC. Morbidity and Mortality Weekly Report (MMWR). Blood Lead Levels in Children Aged 1–5 Years — United States, 1999–2010. April 5, 2013/62(13);245-248. Pages 245-248. Retrieved on 05/27/2016 from: <http://www.cdc.gov/mmwr/pdf/wk/mm6213.pdf> Note: i) Estimate of the 535,000 children with elevated Blood Lead Levels based on ≥ 5 $\mu\text{g}/\text{dL}$ threshold is based on the US Census Bureau 2010 count of the number of children aged 1 to 5 years. ii) For differences across race, ethnicity, Medicaid and income groups, the geometric mean for the blood lead levels was used. iii) As explained in Section 9.1 Definition, the reference value of 5 $\mu\text{g}/\text{dL}$ was based on 97.5th percentile (or top 2.5%) of the distribution of the combined 2007–2008 and 2009–2010 cycles of NHANES (National Health and Nutrition Examination Survey).
271. Michigan Department of Community Health. 2012 Annual data report on blood lead levels of children in Michigan. 2013. Page 13. Available at: http://www.michigan.gov/documents/mdch/2012AnnualDataReportOnBloodLeadLevels_419508_7.pdf See Table Childhood Lead Poisoning Data Facts All Counties in Michigan Calendar Year 2012 Children less than Six Years of Age on Page 13.
272. McLaine, P., Navas-Acien, A., Lee, R., Peter Simon, Diener-West, M and Agnew, J. Elevated Blood Lead Levels and Reading Readiness at the Start of Kindergarten. Pediatrics peds.2012-2277; published ahead of print May 13, 2013, doi:10.1542/peds.2012-2277
273. CDC Centers for Disease Control and Prevention (CDC) Advisory Committee on Childhood Lead Poisoning Prevention (ACCLPP). “Low Level Lead Exposure Harms Children: A Renewed Call for Primary Prevention Report of the Advisory Committee on Childhood Lead Poisoning Prevention of the Centers for Disease Control and Prevention.” January 4, 2012. Retrieved on 05/27/16 from: http://www.cdc.gov/nceh/lead/acclpp/final_document_030712.pdf
274. U.S. Department of Housing and Urban Development. Office of Healthy Homes and Lead Hazard Control. American Healthy Homes Survey. Lead and Arsenic Findings. April 2011. See Page ES-2 of the Executive Summary. Retrieved on 05/27/16 from: http://portal.hud.gov/hudportal/documents/huddoc?id=AHHS_Report.pdf
275. Mona, H., LaChance, J. Sadler, R.C. and Schnepf, A.C. (2016, February). Elevated Blood Lead Levels in Children Associated With the Flint Drinking Water Crisis: A Spatial Analysis of Risk and Public Health Response. American Journal of Public Health. Vol. 106, No. 2, pp. 283-290. doi: 10.2105/AJPH.2015.303003

276. Educational Services for Children Affected by Lead Expert Panel. Educational interventions for children affected by lead. Atlanta: U.S. Department of Health and Human Services; 2015. Link: https://www.cdc.gov/nceh/lead/publications/educational_interventions_children_affected_by_lead.pdf
277. Two sources: 1) American Academy of Pediatrics Committee on Environmental Health. (2005). Lead Exposure in Children: Prevention, Detection, and Management. *Pediatrics* 2005;116;1036. Available at: <http://pediatrics.aappublications.org/content/116/4/1036.full.html> and 2) Bright Futures/American Academy of Pediatrics (January 2016). Recommendations for Preventive Pediatric Health Care (Periodicity Schedule). Link: https://www.aap.org/en-us/Documents/periodicity_schedule.pdf
278. CDC. Screening young children for lead poisoning: guidance for state and local public health officials. (1997). Atlanta, GA: US Department of Health and Human Services, CDC.
279. Early and Periodic Screening, Diagnostic, and Treatment. Retrieved on 05/27/2016 from: <https://www.medicaid.gov/Medicaid-CHIP-Program-Information/By-Topics/Benefits/Early-and-Periodic-Screening-Diagnostic-and-Treatment.html> Scroll down to "Lead Screening" section.
280. National Committee for Quality Assurance. "The state of health care quality, 2015." Washington, DC: National Committee for Quality Assurance; 2015. Available at: <http://www.ncqa.org/report-cards/health-plans/state-of-health-care-quality/2015-table-of-contents/lead-screening> Note that this measure assesses the percentage of children 2 years of age who had one or more blood tests for lead poisoning by their second birthday.
281. CDC Advisory Committee on Childhood Lead Poisoning Prevention. Low level lead exposure harms children: a renewed call for primary prevention. Atlanta, GA: US Department of Health and Human Services, CDC; 2012. Available at http://www.cdc.gov/nceh/lead/acclpp/final_document_030712.pdf
282. CDC. Preventing lead poisoning in young children. Atlanta, GA: US Department of Health and Human Services, CDC; 1991. Available at <http://www.cdc.gov/nceh/lead/publications/books/plpyc/contents.htm>.
283. Stuart Pocock, Marjorie Smith, Peter Baghurst. Environmental lead and children's intelligence, a systematic review of the epidemiological evidence. *BMJ*. 1994 Nov 5; 309(6963): 1189–1197.
284. Lanphear, B.P., Hornung, R et al. (2005, July). Low-level environmental lead exposure and children's intellectual function: an international pooled analysis. *Environ Health Perspect*. 113(7):894-9.
285. Richard canfield, Charles Henderson, Deborah Cory-Sletcha, Christopher Cox, Todd Jusko, and Bruce Lamphear. Intellectual impairment in children with blood lead concentrations below 10 microg per deciliter. *N Engl J Med*. 2003 Apr 17;348(16):1517-26.
286. CDC Centers for Disease Control and Prevention (CDC) Advisory Committee on Childhood Lead Poisoning Prevention (ACCLPP). "Low Level Lead Exposure Harms Children: A Renewed Call for Primary Prevention Report of the Advisory Committee on Childhood Lead Poisoning Prevention of the Centers for Disease Control and Prevention." January 4, 2012. Retrieved on 05/27/16 from: http://www.cdc.gov/nceh/lead/acclpp/final_document_030712.pdf
287. Lanphear BP, Dietrich K, Auinger P, Cox C. Cognitive deficits associated with blood lead concentrations <10 microg/dL in US children and adolescents. *Public Health Rep*. 2000 Nov-Dec;115(6):521-9.
288. Evans, A., Hryhorczuk, D., Lanphear, B.P., Rankin, K.M., Lewis, D.A., Forst, L and Rosenberg, D. (2015, April). The impact of low-level lead toxicity on school performance among children in the Chicago Public Schools: a population-based retrospective cohort study. *Environ Health*.14:21.
289. Miranda, M., Kim, D., Reiter, J. (2009, November). Overstreet Galeano MA, Maxson P. Environmental contributors to the achievement gap. *Neurotoxicology*. (6):1019-24. doi: 10.1016/j.neuro.2009.07.012. Epub 2009 Jul 28.

290. randa, M., Kim, D., Osgood, C and Douglas, H. (2011). The Impact of Early Childhood Lead Exposure on Educational Test Performance among Connecticut Schoolchildren, Phase 1 Report. Children's Environmental Health Initiative.
291. McLaine, P., Navas-Acien, A., Lee, R etal. (June 2013). Elevated Blood Lead Levels and Reading Readiness at the Start of Kindergarten. PEDIATRICS Volume 131, Number 6.
292. Miranda, M.L, Maxson, P., Kim D. (2010). Early childhood lead exposure and exceptionality designations for students. [Int J Child Health Hum Dev](#). 3(1):77-84.
293. U.S. Department of Health and Human Services (2015). Educational Services for Children Affected by Lead Expert Panel. Educational interventions for children affected by lead. Atlanta. See Page 7. Link: https://www.cdc.gov/nceh/lead/publications/educational_interventions_children_affected_by_lead.pdf This report in turn cites the following studies: 1) Campbell TF, Needleman HL, Riess JA, Tobin MJ. 2000. Bone lead levels and language processing performance. *Dev Neuropsychol* 18:171–86. 2) Yuan W, Holland SK, Cecil KM, Dietrich KN, Wessel SD, Altaye M, Hornung RW, et al. 2006. The impact of early childhood lead exposure on brain organization: A functional magnetic resonance imaging study of language function. *Pediatrics* 118:971–7. 3) Dietrich KN, Succop PA, Berger OG, Keith RW. 1992. Lead exposure and the central auditory processing abilities and cognitive development of urban children: The Cincinnati Lead Study cohort at age 5 years. *Neurotoxicol Teratol* 15:51–6. 4) Osman K, Pawlas K, Schutz A, Gazdzik M, Sokal JA, Vahter M. 1999. Lead exposure and hearing effects in children in Katowice, Poland. *Environ Res* 80:1–8. 5) Schwartz J, Otto D. 1987. Blood lead, hearing thresholds, and neurobehavioral development in children and youth. *Arch Environ Health* 42:153–60. 6) Schwartz J, Otto D. 1991. Lead and minor hearing impairment. *Arch Environ Health* 46:300–5.
294. Braun, J.M, Kahn, R.S, Froehlich, T., Auinger, P., Lanphear, B.P. (2006, December). Exposures to environmental toxicants and attention deficit hyperactivity disorder in U.S. children. *Environ Health Perspect*. 114(12):1904-9.
295. Wasserman, G.A., Staghezza-Jaramillo, B., Shrout, P., Popovac,D., and Graziano,J. (1998, March). The effect of lead exposure on behavior problems in preschool children. *Am J Public Health*. 88(3): 481–486.
296. U.S. Department of Health and Human Services (2015). Educational Services for Children Affected by Lead Expert Panel. Educational interventions for children affected by lead. Atlanta. See Page 7. Link: https://www.cdc.gov/nceh/lead/publications/educational_interventions_children_affected_by_lead.pdf This report in turn cites the following studies: 1) Braun JM, Froehlich TE, Daniels JL, Dietrich KN, Hornung R, Auinger P, Lanphear BP. 2008. Association of environmental toxicants and conduct disorder in U.S. children: NHANES 2001-2004. *Environ Health Perspect* 116:956–62. 2) Dietrich KN, Ris MD, Succop PA, Berger OG, Bornschein RL. 2001. Early exposure to lead and juvenile delinquency. *Neurotoxicol Teratol* 23:511–8. 3) Fergusson DM, Boden JM, Horwood LJ. 2008. Dentine lead levels in childhood and criminal behaviour in late adolescence and early adulthood. *J Epidemiol Community Health* 62:1045–50. 4) Needleman HL, Riess JA, Tobin MJ, Biesecker GE, Greenhouse JB. 1996. Bone lead levels and delinquent behavior. *JAMA* 275:363–9. 5) Needleman HL, McFarland C, Ness RB, Fienberg SE, Tobin MJ. 2002. Bone lead levels in adjudicated delinquents. A case-control study. *Neurotoxicol Teratol* 24:711–7. 6) Wright JP, Dietrich KN, Ris MD, Hornung RW, Wessel SD, Lanphear BP, et al. 2008. Association of prenatal and childhood blood lead concentrations with criminal arrests in early adulthood. *PLoS Med* 5:e101.
297. U.S. Department of Health and Human Services (2015). Educational Services for Children Affected by Lead Expert Panel. Educational interventions for children affected by lead. Atlanta. See Page 9. Link: https://www.cdc.gov/nceh/lead/publications/educational_interventions_children_affected_by_lead.pdf

DISCUSSION AND RECOMMENDATIONS

298. See: 1) Bright Futures/American Academy of Pediatrics (January 2016). Recommendations for Preventive Pediatric Health Care (Periodicity Schedule). Link: https://www.aap.org/en-us/Documents/periodicity_schedule.pdf; 2) American Academy of Pediatrics COMMITTEE ON PRACTICE AND AMBULATORY MEDICINE, SECTION ON OPHTHALMOLOGY, AMERICAN ASSOCIATION OF CERTIFIED ORTHOPTISTS, AMERICAN ASSOCIATION FOR PEDIATRIC OPHTHALMOLOGY AND STRABISMUS, AMERICAN ACADEMY OF OPHTHALMOLOGY (December 2015). Policy Statement "Visual System Assessment in Infants, Children, and Young Adults by Pediatricians." Link: <http://pediatrics.aappublications.org/content/early/2015/12/07/peds.2015-3596#T1>
299. Two sources: 1) American Academy of Pediatrics Committee on Environmental Health. (2005). Lead Exposure in Children: Prevention, Detection, and Management. Pediatrics 2005;116;1036. Available at: <http://pediatrics.aappublications.org/content/116/4/1036.full.html> and 2) Bright Futures/American Academy of Pediatrics (January 2016). Recommendations for Preventive Pediatric Health Care (Periodicity Schedule). Link: https://www.aap.org/en-us/Documents/periodicity_schedule.pdf
300. American Academy of Pediatrics COUNCIL ON COMMUNITY PEDIATRICS, COMMITTEE ON NUTRITION (October 2015). Policy Statement "Promoting Food Security for All Children." Link: <http://pediatrics.aappublications.org/content/early/2015/10/20/peds.2015-3301>
301. American Academy of Pediatrics COUNCIL ON COMMUNITY PEDIATRICS (April 2016). Policy Statement "Poverty and Child Health in the United States." Link: <http://pediatrics.aappublications.org/content/137/4/e20160339>
302. This estimate is based on the proportion of the US population who are under 18 years of age (23%) multiplied by the number of people living in Health Professional Shortage Areas for primary medical care (62,396,277 people). Sources: 1) US Census. Persons under 18 years, percent, July 1, 2015, 22.9%. Link: <https://www.census.gov/quickfacts/table/PST045215/00> and 2) Bureau of Health Workforce Health Resources and Services Administration (HRSA) U.S. Department of Health & Human Services (As of September 11, 2016) "Designated HPSA Statistics" report. See "Shortage Areas, Health Professional Shortage Area (HPSA)-Basic Primary Medical Care" at: <http://datawarehouse.hrsa.gov/tools/hdwreports/Reports.aspx>
303. Definition of Medical Home taken from American Academy of Pediatrics. Link: <https://www.aap.org/en-us/professional-resources/practice-transformation/medicalhome/Pages/home.aspx>
304. Unpublished, internal, preliminary review done by Children's Health on the landscape of schools' requirements to identify and address HBLs. Review of state requirements for: comprehensive health examination requirements for school entry (beyond immunizations); vision screenings/exams; hearing screenings/exams; and dental screenings/exams. January 2016.